

SAFETY DATA SHEET

SDS No: 0030

Section 1. Product and Company Identification

Product Name: UltraGrave™

Trade Name: High Impact Modified Acrylic Blends

Recommended Use: Signage, Other

Restrictions on Use: None

Medical:911

Manufacture: Rowmark In Case of Emergency: Call: Poison Control: 800-589-3897

5409 Hamlet Drive Email:

Findlay, OH 45840 Information: Call: 1-877-ROWMARK

Email: techhelp@rowmark.com

Category 1 = Severe Hazard

Category 2 = Serious Hazard

Category 3 = Moderate Hazard

Category 4 = Slight Hazard

Category 5 = Minimal Hazard

NEW GHS Hazard Categories

Section 2. Hazard Identification

GHS Classification: Not Classified
GHS Label Elements: Not Applicable

GHS Rating

Health	5
Flammability	4
Instability	5
Special	

Other Hazards: Not Applicable

Section 3.	Composition	/ Information or	Ingradiants
isection 3.	Composition	intormation or	i ingredients

Name	CAS#	% by Weight	OHSA
P (EA/MMA)	Proprietary	50-54	N
Acrylic Styrene Copolymer	Proprietary	35-50	N
2-(Proploxy)ethanol	2807-30-9	1-2.5	Υ
Cyclohexanone	203-631-1	1-2.5	Υ
Ethyl acrylate	140-88-5	< 0.1	Υ
May produce an allergic reaction			
Methyl methacrylate	80-62-6	<0.5	Υ

The substance(s) marked with a "Y" in the OSHA column are idenfitied as hazardous chemicals according to the criteria of the OSHA Hazardous Communication Standard (29 CFR 1910.1200).

While this material is not classified as hazardous under Federal OSHA regulations, this SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

The components of this product are all on the TSCA Inventory list.

Section 4. First Aid Measures

^{*} Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

Inhalation:	Dust and process vapors may be irritation to the nose, throat and respiratory tract. Remove to fresh air. If not		
	breathing, give artificial respiration. If breathing is difficult, give oxygen. Get Medical attention.		
Eyes:	Dust, fines and process vapors may irritate the eyes. Immediately flush eyes with water for at least 15 minutes. Get		
	medical attention.		
Skin:	Exposure to molten plastic may cause thermal burns. If molten material comes in contact with the skin, cool under ice		
	water or a running stream.		
Ingestion:	No adverse health effects expected from ingestion.		

Section 5. Fire-Fighting M	easures
Suitable Extinguishing Methods:	Dry Chemical, Water Spray, Foam Carbon Dioxide. Avoid using direct streams of water on molten burning material.
Unsuitable Extinguishing Methods:	NONE known.
Hazards During Fire-fighting:	Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation products.
Protective Equipment:	Wear self-contained breathing apparatus and protective suit.

Section 6.	Accidental Re	ease Measures	
Personal Precauti	ons:	See Section 8 - Exposure Controls / Personal Protection.	
Environmental Precautions: No Special environmental precautions required.		No Special environmental precautions required.	
Methods and M	Methods and Materials for Containment and Cleaning Up		
Spill / Leak:	Spill / Leak: Containment of this material should not be necessary. Sweep up or gather material and place in appropriate		
	container f	or disposal.	

Section 7.	Handling and Storage
Handling:	Keep away from heat, flame and strong oxidizing agents.
Storage:	Keep away from heat, sparks, and flame. Store in cool place in original container and protect form sunlight.

Section 8.	exposure Control and Personal Protection
Exposure Limits:	
1) Effects of Acute E	xposure: Inhalation of vapors may result in irritation of upper respiratory tract
2) Effects of Chronic	Over Exposure:
3) OSHA Permissible	Exposure Limits:
4) Carcinogen Poten	ıtial:
Engineering Cont	rols:
U	Jse recommended safe handling practices to minimize unnecessary exposure.
G	General room ventilation is adequate for storage and ordinary handling.
U	Jse local exhaust at points of fume generation or if dusty conditions prevail.
Personal Protecti	ive Equipment:
V	Vear safety glasses with side shields or chemical goggles to prevent eye contact.
Н	lave eye-washing facilities readily available where eye contact can occur.
V	Vear impervious gloves and protective clothing to prevent skin contact.

Section 9. Physical and C	Chemical Properties		
Appearance:	Various Colors	Vapor Pressure:	Not Applicable
Odor:	Slightly acrylic	Vapor Density:	Not Applicable
pH:	Not applicable	Relative Density:	1.19 g/cm3
Melting Point / Freezing Point:	No data available	Solubility (ies):	Not Applicable
Boiling Point:	No data available	Partition Coefficient (N-Octanol/Water):	No data available
Flash Point:	Not applicable	Auto-Ignition Temperature:	No data available
Evaporation Rate:	Not applicable	Decomposition Temperature:	No data available
Flammability (solid, gas):	See GHS in section 2	Viscosity:	No data available
Upper Explosive Limit:	Not applicable	Specific Gravity:	1.19; Water = 1 (liquid)
Lower Explosive Limit:	Not applicable	Percent Volatile:	0%

Section 10. Stability Reactivity		
Reactivity:	No data available	
Chemical Stability:	Stable	
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur	
	Avoid flames, welding arcs, potential ignition sources, or other high temperature sources,	
Conditions to Avoid:	prolonged contact with acids, alkalis and strong oxidizing agents	
Incompatible Materials:	None under normal conditions of use	
Hazardous Decomposition Products:	Carbon oxides, Acrylates, Methacrylates, Hazardous organic compounds	
Combustion Products:	No data available	

Section 11. Toxicological Information Irritation Effects		
Skin Irritation:	Not expected to cause skin irritation. Molten material may cause thermal burns.	
Inhalation:	Not a likely route of exposure. Process fumes may cause irritation.	
Ingestion:	May cause a choking hazard if swallowed.	
	Eye Irritation: Skin Irritation: Inhalation:	

Carcinogenic Effect

International Agency for Research on Cancer (IARC): Group3 NOT classifiable as to its carcinogenicity to humans.

Section 12. Ecological Info	rmation
Eco-toxicity:	Toxicity to fish - No relevant studies identified.
Persistence and Degradability:	This material is not expected to be readily biodegradable.
Bio-accumulate Potential:	Product is not likely to accumulate in biological organisms.
Mobility in Soil:	This Product has not been found to migrate through soils.
	This Substance is not in Annex I of Regulation (EC) 2037/2000 on substances that deplete the
Other Adverse Effects:	ozone layer.

Section 13. Disposal Considerations

Disposal Methods

Product Recommendation:

- 1. Recycle (Reprocess) if product has not been contaminated so as to make it unsuitable for its intended use.
- 2. Disposal through controlled incineration or authorized waste dump in accordance with Local, State or Federal Regulations.

Uncleaned Packaging Recommendation:

1. Disposal must be done in accordance with Local, State, or Federal Regulation.

Section 14. Transportation Information			
UN Number:	Not Relevant		
UN Proper Shipping Name:	Not Relevant		
Transportation Hazard Class(es)			
DOT:	Not Regulated/classified		
ADR / RID:	Not Regulated/classified		
IMDG:	Not Regulated/classified		
ICAO/IATA	Not Regulated/classified		
Packing Group:	Not Applicable		
Environmental Hazards:	Not Relevant		
Transportation in Bulk (According to Annex II of MARPOL 73/78 and IBC Code):		Not Relevant	
Special Precautions for User:	No special precautions		

Section 15. Regulatory Information

(Not meant to be all-inclusive -- selected regulations represented)

Immediate (Acute) Health	N	Delayed (Chronic) Health	N
Sudden Release of Pressure	N	Reactive	N
Fire	N		

The components of this product are all on the TSCA inventory list.

INGREDIENT RELATED REGULATORY INFORMATION:

SARA REPORTABLE QUANTITIES	CERCLA RQ	SARA TPQ
Ethyl acrylate	1000 LBS	N/A
Methyl methacrylate	1000 LBS	N/A
P (EA/MMA)	N/A	N/A

SARA TITLE III, SECTION 313

This product does contain chemical(s), which are defined as toxic chemicals under and subject to the reporting requirements of, Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372. See section 2.

Chemical Name	CAS-No.	De minimis concentration	Reportable Threshold:
Ethyl acrylate	Not assigned	Not assigned	Not assigned
Methy methacrylate	Not assigned	Not assigned	Not assigned
			10000 lbs (otherwise used (non-
			manufacturing/processing))
			25000 lbs (manufacturing and
2-Propenoic acid, ethyl ester	140-88-5	0.10%	processing)

CALIFORNIA PROP 65 - CARCINOGEN

This product does contain the following chemical(s), as indicated below, currently on the California list of known carcinogens.

Chemical Inventory Status

EU. EINECS	EINECS	Conforms to
		The components of this product are all
United States TSCA Inventory	TSCA	on the TSCA Inventory
		All components of this product are on
Canadian Domestic Substnaces List (DSL)	DSL	the Canadian DSL.
China. Inventory of Existing Chemical		
Substances in China (IECSC)	IECSC (CN)	Does not conform
Japan. ENCS - Existing and New Chemical		
Substances Inventory	ENCS (JP)	Does not conform
Japan. ISHL-Inventory of Chemical Substances	ISHL (JP)	Does not conform
Korea. Korean Existing Chemicals Inventory	KECI (KR)	Conforms to
Philippines Inventory of Chemicals and		
Chemical Substances (PICCS)	PICCS (PH)	Conforms to
Australia Inventory of Chemical Substances	AICS	Conforms to

OSHA HazCom:	This Material is not Hazardous b OSHA Hazardous Communication Standard 29 CFR 1910.1200		
SARA 313:			
Immediate Hazard: NO		Fire Hazard: NO	Reactivity Hazard: NO
Delayed Hazard: NO		Pressure Hazard: NO	

Section 16. Other Information

No Additional Information

NOTICE: The information presented in this Safety Data Sheet is based on data considered to be accurate as of the date this Safety Data Sheet was prepared. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In additional, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

Revision Date: Aug 15, 2016